



Reset

[Download 3D Model](#)

Code Number	CGM	* 1 mm./inch.	* 2 mm./inch.	* 3 Lines mm./inch.
151F0528	80	87 [0.3,43]	109.0 [4.29]	max. 131.3 [5.17]
151F0529	100	90.4 [3.56]	112.4 [4.43]	max. 134.7 [5.30]
151F0530	125	94.8 [3.73]	116.8 [4.60]	max. 139.1 [5.48]
151F0531	160	100.8 [3.97]	122.8 [4.83]	max. 145.15 [5.71]
151F0532	200	107.8 [4.24]	129.8 [5.11]	max. 152.1 [5.99]
151F0533	250	116.8 [4.59]	138.5 [5.45]	max. 160.8 [6.33]
151F0534	315	127.8 [5.03]	149.8 [5.90]	max. 172.1 [6.76]
151F0609	400	141.4 [5.57]	163.6 [6.43]	max. 185.7 [7.31]




C: Drain connection
G 1/4; 12[0.47] deep

D: M10; 13[0.51] deep

E: G 1/2; 16[0.63] deep

Tolerance for basic dimensions = ± 1 mm (0.04 inch)



Altered	Reason	Date	Scale	Project		OMSW
--	--	--	1:1			
			Date	2014.12.08		
			Design MP	Approb:		ø35 tapered
<p><small>Copyright: Property of Danfoss (Denmark) A/S, Denmark. Not to be handed over to, copied or used by third party. For a more detailed explanation of terms to be subjected to Danfoss (Denmark) A/S, Danfoss (Denmark) A/S on account is responsible. It provides more or Danfoss (Denmark) A/S reserves the right to stop products directly or order to produce that such alterations can be made without subsequent changes being necessary in specifications already agreed.</small></p>						No. 8_151D0591